















Bar

Restaurant

Retail

Cafè

Quick service

IQ

Compact and sleek, IQ introduces latest cutting edge technology and power of a high-end EPOS touch screen system in a cost effective terminal.

Small footprint can be easily adapted on any counter.

Introduce a new level of usability thanks to an intuitive graphic interface.

Reliable flash ROM based system ready for hospitality and retail market.

Innovative wireless interchangeable keypad solution, let the user to switch multiple keypad just in a snap.

Contactless operator key, eliminates risk, speed up sign-on operation and improve security.

With a built-in Ethernet interface as standard, IQ terminal becomes a master for in-house network or can be used as slave terminal in a GIGA4 network.

- Graphical table plan with highly customizable 3D restaurant layout, with table status.
- Colourful 3D pictures of menu items with incredible speed which increase efficiency and simplify daily operation.
- Graphical recall transaction and multi function bill separation menu
- Table billing option include splitting bill, table transfer, multiple bill per table, per quest and shareable items.



- Multiple Kitchen control supporting serial, ethernet printers and KDS (Kitchen Display System) including auto trasmission to different kitchen printers, with auto backup and redirection in case of trouble.
- Full restaurant features include multiple level course, hold and fire, multiple price list, french menu, combo menu, mix and match and floating operators.
- Network capability with redundancy data over standard TCP/IP comunication up to 32 terminals, including reporting and product maintenance.
- BackOffice PC communications and internet access provide essential data to enable management to make smart business decision.
























IQ specification

10.4" full touch area high resolution TFT color display high-brightness, LED backlight

5 wire touch screen panel, spill proof and frameless

3D graphic user interface

2GB flash for Electronic Journal storing

Integrated RFID reader

4 powered serial ports (1xDB9 + 2xRJ45 + 1x integrated customer display)

1 USB 2.0 port

2 DK (Cash drawer) port, with 1 RJ12 connector and "Y" cable

Ethernet LAN 10/100, up to 32 terminals

Dimension: L 300 x H 105 x D 255 mm

Carton dimension L 350 x H 130 x D 350 mm

Weight: approx 1.5 Kg

Standard color black body with grey rubbers side

Options

Integrated customer display lcd 2 lines x 20 characters

Pole graphical display 8.4"

Labware Nano wireless hand held terminal

Labware serial Bluetooth Access Point

Ethernet Base Station Pro (Bluetooth Access Point)

Labware Tiket receipt printer

Labware Tiket Ethernet kitchen printer

Labware 4BackOffice software

12 different color rubbers side, factory option

Authorized dealer